
2-Axis **SMART VERTICAL PRECISION LEVEL**



Wireless Alignment/Setup





Digi-Pas **Smart Levels**





Tested & Certified to:





© 2022 DIGIPAS TECHNOLOGIES INC. All Rights Reserved.

2 Old-fashioned frame spirit vial levels

than HALF.









2-Axis Vertical Precision Level

Instrument Overview

- With Digi-Pas® 2-AXIS VERTICAL Precision Level, the tedious & repetitive fiddling going 'back-and-forth', aligning surface perpendicularity one axis at a time commonly experienced with traditional frame spirit vial level is now things of the past.
- WIRELESS Bluetooth pairs with your Smartphones or Tablets (Apple & Android), allowing users to remotely read & capture vertical angle reading while adjusting the machine It effectively cuts down installation/setup time in a smart way.

Digi-Pas® 2-Axis VERTICAL Precision Level (DWL-1900), can be used with 2-Axis Smart Machinist Level (DWL-1500XY) to instantly compare 2 surface planes & measure surface perpendicularity.



Accreditation & Certification

ACCURACY of Digi-Pas® digital level is tested and certified by accredited 3rd Party Calibration & Test Laboratories in USA, Japan and Germany traceable to NIST, JIS & DIN.

Mobile App Features



SMART 2D BUBBLE

This feature allows user to view 2-axis angle/levelling measurement simultaneously in graphical "Bull's eye" (with auto range feature) and numeric formats - °(Degree), mm/M & In/Ft units.



SINGLE-AXIS

This feature allows user to view single-axis angle/levelling and can be toggle between X & Y angle



MULTIPLE DEVICES

Link up to two SMART LEVELS (one HORIZONTALLY & one VERTICALLY) to perform surface comparison between 2 planes instantly.



Enable user to measure to capture measurement values along with the product measurement photos using smartphone/tablet camera

© 2022 DIGIPAS TECHNOLOGIES INC. All Rights Reserved



CALIBRATION

Perform easy self-calibration, allows user to reset the digital level back to factory preset accuracy

Specification

Dimension (L x W x H)	149 x 51 x 40 mm or 6 x 2 x 1.5 inch	
Measuring Range (Dual Axis)	90.000° to ± 5.000°	
Resolution	0.0002"/ft. or 5 arcsec (0.020 mm/M or 0.001°)	
Accuracy	± 0.002° at (90.000° ±0.500°) ± 0.004° at other angles	
Repeatability	0.001° (18µm/M or 0.0002in/ft)	
Measurement Speed	≤5 Sec.	
Power Supply	2 x AA battery / micro USB port	
Bluetooth Range	approx. 50ft. or 15mtr	
Material	PC ABS / Zinc Alloy	
Weight	0.5 Kg	
Operating Temp.	$10^{\circ}\text{F} \sim 120^{\circ}\text{F} \text{ or } -10^{\circ}\text{C} \sim +50^{\circ}\text{C}$ (Calibrated for the entire temperature range)	

Note: Product specification and appearance are subjected to change for improvement without prior notice.

Mobile App Features Comparison

Features	FREE	FULL
SMART 2D BUBBLE ®		*
Single-Axis		*
Multiple Devices		*
QUICK SNAP		*
CALIBRATION	~	~

Note : Product features & function are subjected to change for improvement without prior notice.

OS Versions

- Android 8.0 & above
- iOS 12.0 & above

Note: Please check for latest version at www.digipas.com

DIGIPAS TECHNOLOGIES INC. www.digipas.com

200 Spectrum Center Drive, Suite 300, Irvine, CA 92618 U.S.A





Digi-Pas® USA (Americas) Digipas Technologies Inc fo@digipas.com

Digi-Pas® 迪派士[™] China Ipiranga (Shanghai) Transmission Technology Co., Ltd. info@digipaschina.com



Digi-Pas® South Korea Phenix Trading Co., Ltd. info@digipas.com



Digi-Pas® Japan JSB Tech Japan Co., Ltd info@digipas.co.jp

