

TEST REPORT

(This Report is issued subject to the terms & conditions set out below)

SetSCO Services Pte Ltd
18 Teban Gardens Crescent
Singapore 608925
Tel : (65) 6566 7777
Fax: (65) 6566 7718
www.setsco.com
Business Reg. No. 196900269D

Your reference No. : —
Our reference No. : FB8500130878/SS/4

Page 1 of 2

SYNTHETIC BLOOD PENETRATION TEST

Date: 26/11/2020

Tested For: **JSB Tech Pte Ltd**
100 Pasir Panjang Road
#06-02
Singapore 118518


Attn: Mr Ong Jia Jia

Test Method: ASTM F1862 / F1862M – 17 Resistance of Medical Face Masks to Penetration by Synthetic Blood (Horizontal Projection of Fixed Volume at a Known Velocity).

Date Sample Received: 30/10/2020

Date Sample Analyzed: 26/11/2020

Sample:



Terms & Conditions:

- (1) The Report is prepared for the sole use of the Client and is prepared based upon the item submitted, the services required by the Client and the conditions under which the Services are performed by SETSCO. The Report is not intended to be representative of similar or equivalent Services on similar or equivalent items. The Report does not constitute an endorsement by SETSCO of the item.
- (2) SETSCO agrees to use reasonable diligence in the performance of the Services but no warranties are given and none may be implied directly or indirectly relating to the Services, the Report or the facilities of SETSCO.
- (3) SETSCO shall under no circumstances be liable to the Client or its agents, servants or representatives, in contract, tort (including negligence or breach of statutory duty) or otherwise for any direct or indirect loss or damage suffered by the Client, its agents, servants or representative howsoever arising or whether connected with the Services provided by SETSCO herein.
- (4) The Report may not be used in any publicity material without the written consent of SETSCO.
- (5) The Report shall not be reproduced in part or in full unless approval in writing has been given by SETSCO.

TEST REPORT

(This Report is issued subject to the terms & conditions set out below)

SetSCO Services Pte Ltd
18 Teban Gardens Crescent
Singapore 608925
Tel : (65) 6566 7777
Fax: (65) 6566 7718
www.setsco.com
Business Reg. No. 196900269D

Our reference No. : FB8500130878/SS/4

Page 2 of 2

Results:

Lab Sample ID No.	Sample Description	Pressure	Number of Test Articles Tested	Number of Test Articles Passed ¹
FB8500130878	eGee-Pro Mask Filter	120 mmHg	32	32

Remarks:

The tested results apply only to the samples as received by the laboratory.

¹As per ASTM F1862, an acceptable quality limit of 4.0% is met for a normal single sampling plan when ≥ 29 out of 32 test articles show passing results.


DR WU JIEN
HOD MICROBIOLOGY

BIOLOGICAL & CHEMICAL TECHNOLOGY DIVISION

Terms & Conditions:

- (1) The Report is prepared for the sole use of the Client and is prepared based upon the Item submitted, the services required by the Client and the conditions under which the Services are performed by SETSCO. The Report is not intended to be representative of similar or equivalent Services on similar or equivalent Items. The Report does not constitute an endorsement by SETSCO of the Item.
- (2) SETSCO agrees to use reasonable diligence in the performance of the Services but no warranties are given and none may be implied directly or indirectly relating to the Services, the Report or the facilities of SETSCO.
- (3) SETSCO shall under no circumstances be liable to the Client or its agents, servants or representatives, in contract, tort (including negligence or breach of statutory duty) or otherwise for any direct or indirect loss or damage suffered by the Client, its agents, servants or representative howsoever arising or whether connected with the Services provided by SETSCO herein.
- (4) The Report may not be used in any publicity material without the written consent of SETSCO.
- (5) The Report shall not be reproduced in part or in full unless approval in writing has been given by SETSCO.